

	Type	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	266	channel with (surface adj roughness)	USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	2004/11/29 12:48	
2	BRS	9892	257/295,296,310,333.ccl s. or 438/197,216,287,297,585 ,591,593- 595,635,648,656,685,772 .ccls.	US-PGPUB; USPAT	2004/11/29 14:02	
3	BRS	11	S2 and (surface with roughness) and (praseodymium or Pr) and (gate with oxide)	US-PGPUB; USPAT	2004/11/29 14:02	
4	BRS	46	("100") and (surface with roughness) and (praseodymium or Pr) and (gate with oxide)	US-PGPUB; USPAT	2004/11/29 16:06	
5	BRS	10432	257/288,295,296,310,333 .ccls. or 438/197,216,287,297,585 ,591,593- 595,635,648,656,685,772	US-PGPUB; USPAT	2004/11/29 14:02	

			.ccls.			

	Type	Hits	Search Text	DBs	Time Stamp	Comments
6	BRS	12	S5 and (surface with roughness) and (praseodymium or Pr) and (gate with oxide)	US-PGPUB; USPAT	2004/11/29 14:02	
7	BRS	26	(gate with dielectric) with interface with roughness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/11/29 16:07	